

兔抗 BTAF1 多克隆抗体

中文名称：兔抗 BTAF1 多克隆抗体

英文名称： Anti-BTAF1 rabbit polyclonal antibody

别名： MOT1; TAF172; TAFII170; TAF(II)170

相关类别： 一抗

抗原： BTAF1

储存： 冷冻（-20℃） 避光

宿主： Rabbit

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	This gene encodes a TAF (TATA box-binding protein-associated factor), which associates with TBP (TATA box-binding protein) to form the B-TFIID complex that is required for transcription initiation of genes by RNA polymerase II. This TAF has DNA-dependent ATPase activity, which drives the dissociation of TBP from DNA, freeing the TBP to associate with other TATA boxes or TATA-less promoters.
Applications:	WB, IHC
Name of antibody:	BTAF1
Immunogen:	Fusion protein of human BTAF1
Full name:	BTAF1 RNA polymerase II, B-TFIID transcription factor-associated, 170kDa

Synonyms :	MOT1; TAF172; TAFIII170; TAF(II)170
SwissProt:	O14981
IHC positive control:	Human liver cancer and Human prostate cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	207 kDa
WB Positive control:	NIH/3T3, hepg2, hela, 231 and Raji cell
WB Recommended dilution:	500-2000



