

## 兔抗 BTBD6 多克隆抗体

中文名称：兔抗 BTBD6 多克隆抗体

英文名称：Anti-BTBD6 rabbit polyclonal antibody

别名：BDPL

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：BTBD6

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

#### Background:

BTBD6 (BTB/POZ domain-containing protein 6), also known as BDPL or lens BTB domain protein, is a 410 amino acid protein that contains one BTB/POZ domain and is specifically expressed in the lens. The BTB/POZ domain mediates homomeric and heteromeric POZ-POZ interactions and is common to transcriptional regulators involved in chromatin modeling. In several BTB/POZ containing proteins, including BCL-6 and the promyelocytic leukemia zinc-finger (PLZF) oncoprotein, this domain interacts with the SMRT/N-CoR-mSin3A HDAC complex and is directly involved in repressing and silencing gene transcription. When this domain is deleted, as with the oncogenic PLZF-RAR chimera of promyelocytic leuke

	mias, this transcriptional repression is attenuated. This suggests that BTBD6 may play a role in transcription r egulation in the lens.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	BTBD6
<b>Immunogen:</b>	Synthetic peptide of human BTBD6
<b>Full name:</b>	BTB domain containing 6
<b>Synonyms:</b>	BDPL
<b>SwissProt:</b>	Q96KE9
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human esophagus cancer
<b>IHC Recommend dilution:</b>	10-50
<b>WB Predicted band size:</b>	53 kDa
<b>WB Positive control:</b>	Human gastric carcinoma tissue lysate
<b>WB Recommended dilution:</b>	200-1000



