

兔抗 CADM2 多克隆抗体

中文名称：兔抗 CADM2 多克隆抗体

英文名称：Anti-CADM2 rabbit polyclonal antibody

别名：cell adhesion molecule 2; NECL3; IGSF4D; Necl-3; synCAM2; SynCAM 2

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：CADM2

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the synaptic cell adhesion molecule 1 (SynCAM) family which belongs to the immunoglobulin (Ig) superfamily. The encoded protein has three Ig-like domains and a cytosolic protein 4.1 binding site near the C-terminus. Proteins belonging to the protein 4.1 family crosslink spectrin and interact with other cytoskeletal proteins. Multiple transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	CADM2
Immunogen:	Synthetic peptide of human CADM2
Full name:	cell adhesion molecule 2
Synonyms:	NECL3; IGSF4D; Necl-3; synCAM2; SynCAM 2

SwissProt:	Q8N3J6
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human liver cancer and human esophagus cancer
IHC Recommend dilution:	30-150
WB Predicted band size:	48 kDa
WB Positive control:	Human cerebella tissue lysate
WB Recommended dilution:	1000-5000



