

兔抗 GART 多克隆抗体

中文名称： 兔抗 GART 多克隆抗体

英文名称： Anti-GART rabbit polyclonal antibody

别 名： phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, phosphoribosylaminoimidazole synthetase; AIRS; GA

相关类别： 一抗

抗 原： GART

储 存： 冷冻 (-20°C)

宿 主： Rabbit

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a trifunctional poly peptide. It has phosphoribosylglycinamide formyltransfer ase, phosphoribosylglycinamide synthetase, phosphoribo sylaminoimidazole synthetase activity which is required f or de novo purine biosynthesis. This enzyme is highly c onserved in vertebrates. Alternative splicing of this gene results in two transcript variants encoding different isof orms.
Applications:	ELISA, IHC
Name of antibody:	GART
Immunogen:	Synthetic peptide of human GART
Full name:	phosphoribosylglycinamide formyltransferase, phosphorib osylglycinamide synthetase, phosphoribosylaminoimidazo

	le synthetase
Synonyms:	AIRS; GARS; PAIS; PGFT; PRGS; GARTF
SwissProt:	P22102
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer and Human cervical cancer
IHC Recommend dilution:	30-150



