

兔抗 USO1 多克隆抗体

中文名称: 兔抗 USO1 多克隆抗体

英文名称: Anti-USO1 rabbit polyclonal antibody

别 名: TAP; VDP; P115

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: USO1

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal


技术规格

Background:	The protein encoded by this gene is a peripheral membrane protein which recycles between the cyto sol and the Golgi apparatus during interphase. It is regulated by phosphorylation: dephosphorylated protein associates with the Golgi membrane and dissociates from the membrane upon phosphorylation. Ras-associated protein 1 recruits this protein to coat protein complex II (COPII) vesicles during budding from the endoplasmic reticulum, where it interacts with a set of COPII vesicle-associated SNAREs to form a cis-SNARE complex that promotes targeting to the Golgi apparatus. Alternative splicing results in multiple transcript variants.
Applications:	ELISA, WB, IHC



全国订货电话 4008-723-722

Name of antibody:	USO1
Immunogen:	Fusion protein of human USO1
Full name:	USO1 vesicle transport factor
Synonyms:	TAP; VDP; P115
SwissProt:	O60763
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and human esophagus cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	108 kDa
WB Positive control:	Mouse testis tissue , Jurkat and A549 cell lysates
WB Recommended dilution:	500-2000





全国订货电话 4008-723-722

