

小鼠抗 FMO3 单克隆抗体

中文名称： 小鼠抗 FMO3 单克隆抗体

英文名称： Anti-FMO3 mouse monoclonal antibody

别名： flavin containing monooxygenase 3; TMAU; FMOII; dJ127D3.1

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Mouse

抗原： FMO3

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： mouse monoclonal

技术规格

Background:

Flavin-containing monooxygenases (FMO) are an important class of drug-metabolizing enzymes that catalyze the NADPH-dependent oxygenation of various nitrogen-, sulfur-, and phosphorous-containing xenobiotics such as therapeutic drugs, dietary compounds, pesticides, and other foreign compounds. The human FMO gene family is composed of 5 genes and multiple pseudogenes. FMO members have distinct developmental- and tissue-specific expression patterns. The expression of this FMO3 gene, the major FMO expressed in adult liver, can vary up to 20-fold between individuals. This inter-individual variation in FMO3 expression levels is likely to have significant effects on the rate at which xenobiotics are metabolised and, therefore, is of considerable interest to the pharmaceutical industry. This transmembrane protein

| | |
|---------------------------------|--|
| | localizes to the endoplasmic reticulum of many tissues. Alternative splicing of this gene results in multiple transcript variants encoding different isoforms. Mutations in this gene cause the disorder trimethylaminuria (TMAu) which is characterized by the accumulation and excretion of unmetabolized trimethylamine and a distinctive body odor. In healthy individuals, trimethylamine is primarily converted to the non odorous trimethylamine N-oxide. |
| Applications: | WB |
| Name of antibody: | FMO3 |
| Immunogen: | Fusion protein of human FMO3 |
| Full name: | flavin containing monooxygenase 3 |
| Synonyms: | TMAU; FMOII; dJ127D3.1 |
| SwissProt: | P31513 |
| WB Predicted band size: | 60 KD |
| WB Positive control: | 293T, A431, HeLa, Raji cell, Mouse liver tissue lysates |
| WB Recommended dilution: | 200-1000 |