

小鼠抗 HDAC8 单克隆抗体

中文名称： 小鼠抗 HDAC8 单克隆抗体

英文名称： Anti-HDAC8 mouse monoclonal antibody

别名： histone deacetylase 8; HD8; WTS; RPD3; CDA07; CDLS5; MRXS6; HDACL1

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Mouse

抗原： HDAC8

反应种属： Human

标记物： Unconjugate

克隆类型： mouse monoclonal

技术规格

Background:	Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene belongs to class I of the histone deacetylase family. It catalyzes the deacetylation of lysine residues in the histone N-terminal tails and represses transcription in large multiprotein complexes with transcriptional co-repressors. Multiple transcript variants encoding different isoforms have been found for this gene.
Applications:	WB
Name of antibody:	HDAC8
Immunogen:	Fusion protein of human HDAC8
Full name:	histone deacetylase 8

Synonyms:	HD8; WTS; RPD3; CDA07; CDLS5; MRXS6; HDACL1
SwissProt:	Q9BY41
WB Predicted band size:	42 KD
WB Positive control:	Hela, Molt4, K562, NIH/3T3, 293T and Jurkat cell lysates
WB Recommended dilution:	500-2000