

## 兔抗 IRF8 多克隆抗体

中文名称: 兔抗 IRF8 多克隆抗体

英文名称: Anti-IRF8 rabbit polyclonal antibody

别 名: ICSBP; IRF-8; ICSBP1; IMD32A; IMD32B; H-ICSBP

储 存: 冷冻(-20℃)

抗 原: IRF8

宿 主: Rabbit

相关类别: 一抗

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal


## 技术规格

| Background:       | Interferon consensus sequence-binding protein (ICSBP) is a tra nscription factor of the interferon (IFN) regulatory factor (IRF) family. Proteins of this family are composed of a conserved D NA-binding domain in the N-terminal region and a divergent C-terminal region that serves as the regulatory domain. The IR F family proteins bind to the IFN-stimulated response element (ISRE) and regulate expression of genes stimulated by type I I FNs, namely IFN-alpha and IFN-beta. IRF family proteins also control expression of IFN-alpha and IFN-beta-regulated genes that are induced by viral infection. |
|-------------------|--|
| Applications:     | ELISA, WB  |
| Name of antibody: | IRF8   |
| Immunogen:        | Fusion protein of human IRF8   |



## 全国订货电话 4008-723-722

| _                            |   |
|------------------------------|---|
| Full name:                   | interferon regulatory factor 8                |
| Synonyms:                    | ICSBP; IRF-8; ICSBP1; IMD32A; IMD32B; H-ICSBP |
| SwissProt:                   | Q02556  |
| ELISA Recommended dilu tion: | 2000-5000                                     |
| WB Predicted band size:      | 48 kDa  |
| WB Positive control:         | Raji cell lysate                              |
| WB Recommended dilutio n:    | 200-1000                                      |





全国订货电话 4008-723-722

