

## 兔抗 ITGB1(Phospho-Thr789) 多克隆抗体

中文名称:	兔抗 ITGB1(Phospho-Thr789) 多克隆抗体
英文名称:	Anti-ITGB1(Phospho-Thr789) rabbit polyclonal antibody
别名:	CD29; FNRB; MDF2; VLAB; GPIIA; MSK12; VLA-BETA
相关类别:	一抗
储存:	冷冻 (-20℃) 避光
宿主:	Rabbit
抗原:	ITGB1(Phospho-Thr789)
反应种属:	Human
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

### 技术规格

<b>Background:</b>	Integrins are heterodimeric proteins made up of alpha and beta subunits. At least 18 alpha and 8 beta subunits have been described in mammals. Integrin family members are membrane receptors involved in cell adhesion and recognition in a variety of processes including embryogenesis, hemostasis, tissue repair, immune response and metastatic diffusion of tumor cells. This gene encodes a beta subunit. Multiple alternatively spliced transcript variants which encode different protein isoforms have been found for this gene.
<b>Applications:</b>	WB, IHC
<b>Name of antibody:</b>	ITGB1(Phospho-Thr789)
<b>Immunogen:</b>	Peptide sequence around phosphorylation site of threonine 789(V-E-T(p)-V-V) derived from Human Integrin $\beta 1$ .

<b>Full name:</b>	integrin, beta 1 (fibronectin receptor, beta polypeptide, anti gen CD29 includes MDF2, MSK12)
<b>Synonyms :</b>	CD29; FNRB; MDF2; VLAB; GPIIA; MSK12; VLA-BETA
<b>SwissProt:</b>	P05556
<b>IHC positive control:</b>	Human breast carcinoma tissue
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	88 kDa
<b>WB Positive control:</b>	HepG2 cells lysates treated with Ca <sup>2+</sup>
<b>WB Recommended dilution:</b>	500-1000



