

## 兔抗 KRT20 多克隆抗体

中文名称: 兔抗 KRT20 多克隆抗体

英文名称: Anti-KRT20 rabbit polyclonal antibody

别名: K20; CD20; CK20; CK-20; KRT21

抗原: KRT20

储存: 冷冻 (-20℃)

宿主: Rabbit

反应种属: Human, Mouse, Rat

相关类别: 一抗

标记物: Unconjugate

克隆类型: rabbit polyclonal

### 技术规格

|                          |  |
|--------------------------|--|
| <b>Background:</b>       | The protein encoded by this gene is a member of the keratin family. The keratins are intermediate filament proteins responsible for the structural integrity of epithelial cells and are subdivided into cytokeratins and hair keratins. The type I cytokeratins consist of acidic proteins which are arranged in pairs of heterotypic keratin chains. This cytokeratin is a major cellular protein of mature enterocytes and goblet cells and is specifically expressed in the gastric and intestinal mucosa. The type I cytokeratin genes are clustered in a region of chromosome 17q12-q21. |
| <b>Applications:</b>     | ELISA, WB, IHC   |
| <b>Name of antibody:</b> | KRT20  |

|                                 |   |
|---------------------------------|---|
| <b>Immunogen:</b>               | Synthetic peptide of human KRT20                    |
| <b>Full name:</b>               | keratin 20, type I                                  |
| <b>Synonyms:</b>                | K20; CD20; CK20; CK-20; KRT21                       |
| <b>SwissProt:</b>               | P35900  |
| <b>IHC positive control:</b>    | Human liver cancer and human esophagus cancer       |
| <b>IHC Recommend dilution:</b>  | 25-100  |
| <b>WB Predicted band size:</b>  | 48 kDa  |
| <b>WB Positive control:</b>     | Hela cell and Human fetal intestines tissue lysates |
| <b>WB Recommended dilution:</b> | 500-2000  |



