

兔抗 LTBR 多克隆抗体

中文名称:	兔抗 LTBR 多克隆抗体
英文名称:	Anti-LTBR rabbit polyclonal antibody
别名:	CD18; TNFCR; TNFR3; D12S370; TNFR-RP; TNFRSF3; TNFR2-RP; LT-BETA-R; TNF-R-III
相关类别:	一抗
储存:	冷冻 (-20℃) 避光
抗原:	LTBR
宿主:	Rabbit
反应种属:	Human Mouse
标记物:	Unconjugate
克隆类型:	Unconjugate

技术规格

Background:	This gene encodes a member of the tumor necrosis factor receptor superfamily. The major ligands of this receptor include lymphotoxin alpha/beta and tumor necrosis factor ligand superfamily member 14. The encoded protein plays a role in signaling during the development of lymphoid and other organs, lipid metabolism, immune response, and programmed cell death. Activity of this receptor has also been linked to carcinogenesis. Alternatively spliced transcript variants encoding multiple isoforms have been observed.
Applications:	WB, IF
Name of antibody:	LTBR

Immunogen:	Synthesized peptide derived from internal of human LTBR.
Full name:	lymphotoxin beta receptor (TNFR superfamily, member 3)
Synonyms :	CD18; TNFCR; TNFR3; D12S370; TNFR-RP; TNFRSF3; TNFR2-RP; LT-BETA-R; TNF-R-III
SwissProt:	P36941
WB Predicted band size:	47 kDa
WB Positive control:	Hela cells and HepG2 cells lysates
WB Recommended dilution:	500-3000
IF positive control:	Hela cells
IF Recommend dilution:	100-500



