

兔抗 MAP3K11 多克隆抗体

中文名称：兔抗 MAP3K11 多克隆抗体

英文名称：Anti-MAP3K11 rabbit polyclonal antibody

别名：MLK3; PTK1; SPRK; MLK-3; MEKK11

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：MAP3K11

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a member of the serine/threonine kinase family. This kinase contains a SH3 domain and a leucine zipper-basic motif. This kinase preferentially activates MAPK8/JNK kinase, and functions as a positive regulator of JNK signaling pathway. This kinase can directly phosphorylate, and activates IκappaB kinase alpha and beta, and is found to be involved in the transcription activity of NF-kappaB mediated by Rho family GTPases and CDC42.
Applications:	ELISA, WB, IHC
Name of antibody:	MAP3K11
Immunogen:	Synthetic peptide of human MAP3K11
Synonyms:	MLK3; PTK1; SPRK; MLK-3; MEKK11

SwissProt:	Q16584
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil and Human gastric cancer
IHC Recommend dilution:	50-100
WB Predicted band size:	93 kDa
WB Positive control:	LO2 and PC-3 cell lysates
WB Recommended dilution:	500-2000
Full name:	mitogen-activated protein kinase kinase kinase 11





