

## RPS27A 抗原（重组蛋白）

中文名称：RPS27A 抗原（重组蛋白）

英文名称：RPS27A Antigen (Recombinant Protein)

别名：UBC; S27A; CEP80; UBA80; HEL112; UBCEP1; UBCEP80

储存：冷冻（-20℃）

相关类别：抗原

概述：

Fusion protein corresponding to a region derived from 16-156 amino acids of human RPS27A

技术规格：

<b>Full name:</b>	ribosomal protein S27a
<b>Synonyms:</b>	UBC; S27A; CEP80; UBA80; HEL112; UBCEP1; UBCEP80
<b>Swissprot:</b>	P62979
<b>Gene Accession:</b>	BC001392
<b>Purity:</b>	>85%, as determined by Coomassie blue stained SDS-PAGE
<b>Expression system:</b>	Escherichia coli
<b>Tags:</b>	His tag C-Terminus, GST tag N-Terminus
<b>Background:</b>	Ubiquitin, a highly conserved protein that has a major role in targeting cellular proteins for degradation by the 26S proteasome, is synthesized as a precursor protein consisting of either polyubiquitin chains or a single ubiquitin fused to an unrelated protein. This gene encodes a fusion protein consisting of ubiquitin at the N terminus and ribosomal protein S27a at the C terminus. When expressed in yeast, the protein is post-translationally processed, generating free ubiquitin monomer and ribosomal protein S27a. Ribosomal protein S27a is a component of the 40S subunit of the ribosome and belongs to the S27AE family of ribosomal proteins. It contains C4-type zinc finger domains and is located in the cytoplasm. Pseudogenes derived fr

om this gene are present in the genome. As with ribosomal protein S27a, ribosomal protein L40 is also synthesized as a fusion protein with ubiquitin; similarly, ribosomal protein S30 is synthesized as a fusion protein with the ubiquitin-like protein fubi. Multiple alternatively spliced transcript variants that encode the same proteins have been identified.