

兔抗 MET(Ab-1003) 多克隆抗体

中文名称: 兔抗 MET(Ab-1003) 多克隆抗体

英文名称: Anti-MET(Ab-1003) rabbit polyclonal antibody

别 名: HGFR; AUTS9; RCCP2; c-Met

相关类别: 一抗

储 存: 冷冻 (-20°C) 避光

宿 主: Rabbit

抗 原: MET(Ab-1003)

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The proto-oncogene MET product is the hepatocyte growth factor receptor and encodes tyrosine-kinase activity. The primary single chain precursor protein is post-translationally cleaved to produce the alpha and beta subunits, which are disulfide linked to form the mature receptor. Various mutations in the MET gene are associated with papillary renal carcinoma. Two transcript variants encoding different isoforms have been found for this gene.
Applications:	WB, IHC, IF
Name of antibody:	MET(Ab-1003)
Immunogen:	Synthesized non-phosphopeptide derived from human c-Met around the phosphorylation site of tyrosine 1003 (V-D-Y (p)-R-A).

Full name:	MET proto-oncogene, receptor tyrosine kinase
Synonyms :	HGFR; AUTS9; RCCP2; c-Met
SwissProt:	P08581
IHC positive control:	Human brain tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	156 kDa
WB Positive control:	HepG2 cells lysate
WB Recommended dilution:	500-3000
IF positive control:	A549 cells
IF Recommend dilution:	100-500



