

## 兔抗 EBI3 多克隆抗体

中文名称: 兔抗 EBI3 多克隆抗体

英文名称: Anti-EBI3 rabbit polyclonal antibody

别 名: IL27B; IL-27B

相关类别: 一抗

抗 原: EBI3

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal


## 技术规格


| Background:       | This gene was identified by its induced expression in B lymphocytes in response Epstein-Barr virus infection. It encodes a secreted glycoprotein belonging to the hema topoietin receptor family, and heterodimerizes with a 28 kDa protein to form interleukin 27 (IL-27). IL-27 regulat es T cell and inflammatory responses, in part by activating the Jak/STAT pathway of CD4+ T cells. |
|-------------------|---|
| Applications:     | ELISA, WB, IHC  |
| Name of antibody: | EBI3  |
| Immunogen:        | Fusion protein of human EBI3  |
| Full name:        | Epstein-Barr virus induced 3  |
| Synonyms:         | IL27B; IL35B; IL-27B  |



## 全国订货电话 4008-723-722

| SwissProt:                         | Q14213                                 |
|------------------------------------|--|
| <b>ELISA</b> Recommended dilution: | 5000-10000                             |
| IHC positive control:              | Human thyroid cancer                   |
| IHC Recommend dilution:            | 150-300                                |
| WB Predicted band size:            | 25 kDa                                 |
| WB Positive control:               | Mouse kidney tissue, 293T cell lysates |
| WB Recommended dilution:           | 500-2000                               |





## 全国订货电话 4008-723-722

