

兔抗 FADS1 多克隆抗体

中文名称：兔抗 FADS1 多克隆抗体

英文名称：Anti-FADS1 rabbit polyclonal antibody

别名：D5D; TU12; FADS6; FADSD5; LLCDL1

相关类别：一抗

储存：冷冻（-20℃）

抗原：FADS1

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

The protein encoded by this gene is a member of the fatty acid desaturase (FADS) gene family. Desaturase enzymes regulate unsaturation of fatty acids through the introduction of double bonds between defined carbons of the fatty acyl chain. FADS family members are considered fusion products composed of an N-terminal cytochrome b5-like domain and a C-terminal multiple membrane-spanning desaturase portion, both of which are characterized by conserved histidine motifs. This gene is clustered with family members FADS1 and FADS2 at 11q12-q13.1; this cluster is thought to have arisen evolutionarily from gene

	duplication based on its similar exon/intron organization.
Applications:	ELISA, WB, IHC
Name of antibody:	FADS1
Immunogen:	Fusion protein of human FADS1
Full name:	fatty acid desaturase 1
Synonyms :	D5D; TU12; FADS6; FADSD5; LLCDL1
SwissProt:	O60427
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human colon cancer and human thyroid cancer
IHC Recommend dilution:	100-300
WB Predicted band size:	52 kDa
WB Positive control:	Human fetal brain tissue
WB Recommended dilution:	500-2000



