

兔抗 FBXL16 多克隆抗体

中文名称：兔抗 FBXL16 多克隆抗体

英文名称：Anti-FBXL16 rabbit polyclonal antibody

别名：F-box and leucine rich repeat protein 16; Fbl16; C16orf22; c380A1.1

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：FBXL16

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|---|
| Background: | Members of the F-box protein family, such as FBXL16, are characterized by an approximately 40-amino acid F-box motif. SCF complexes, formed by SKP1 (MIM 601434), cullin (see CUL1; MIM 603134), and F-box proteins, act as protein-ubiquitin ligases. F-box proteins interact with SKP1 through the F box, and they interact with ubiquitination targets through other protein interaction domains (Jin et al., 2004 [PubMed 15520277]). |
| Applications: | ELISA, IHC |
| Name of antibody: | FBXL16 |
| Immunogen: | Synthetic peptide of human FBXL16 |
| Full name: | F-box and leucine rich repeat protein 16 |
| Synonyms: | Fbl16; C16orf22; c380A1.1 |

| | |
|------------------------------------|--|
| SwissProt: | Q8N461 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human cervical cancer and Human liver cancer |
| IHC Recommend dilution: | 25-100 |



