

## 兔抗 NCOA4 多克隆抗体

中文名称: 兔抗 NCOA4 多克隆抗体

英文名称: Anti-NCOA4 rabbit polyclonal antibody

别 名: nuclear receptor coactivator 4; RFG; ELE1; PTC3; ARA70

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗原: NCOA4

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal


## 技术规格

Background:	This gene encodes an androgen receptor coactivator. The encoded protein interacts with the androgen receptor in a ligal nd-dependent manner to enhance its transcriptional activity. Chromosomal translocations between this gene and the retityrosine kinase gene, also located on chromosome 10, have been associated with papillary thyroid carcinoma. Alternatively spliced transcript variants have been described. Pseudogenes are present on chromosomes 4, 5, 10, and 14.
Applications:	ELISA, IHC
Name of antibody:	NCOA4
Immunogen:	Fusion protein of human NCOA4
Full name:	nuclear receptor coactivator 4
Synonyms:	RFG; ELE1; PTC3; ARA70
SwissProt:	Q13772



## 全国订货电话 4008-723-722

ELISA Recommended diluti on:	5000-10000
IHC positive control:	Human thyroid cancer and Human liver cancer
IHC Recommend dilution:	100-300





## 全国订货电话 4008-723-722

