

## 兔抗 SLC12A7 多克隆抗体

中文名称：兔抗 SLC12A7 多克隆抗体

英文名称：Anti-SLC12A7 rabbit polyclonal antibody

别名：solute carrier family 12 member 7; KCC4

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：SLC12A7

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	Mediates electroneutral potassium-chloride cotransport when activated by cell swelling. May mediate K <sup>+</sup> uptake into Deiters' cells in the cochlea and contribute to K <sup>+</sup> recycling in the inner ear. Important for the survival of cochlear outer and inner hair cells and the maintenance of the organ of Corti. May be required for basolateral Cl <sup>-</sup> extrusion in the kidney and contribute to renal acidification (By similarity).
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	SLC12A7
<b>Immunogen:</b>	Synthetic peptide of human SLC12A7
<b>Full name:</b>	solute carrier family 12 member 7
<b>Synonyms:</b>	KCC4

SwissProt:	Q9Y666
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil
IHC Recommend dilution:	50-300

