

兔抗 CHGA 多克隆抗体

中文名称: 兔抗 CHGA 多克隆抗体

英文名称: Anti-CHGA rabbit polyclonal antibody

别 名: CGA

相关类别: 一抗

储 存: 冷冻 (-20℃)

宿 主: Rabbit

抗 原: CHGA

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal


技术规格

Background:	The protein encoded by this gene is a member of the chromogranin/secretogranin family of neuroendocrine se cretory proteins. It is found in secretory vesicles of neur ons and endocrine cells. This gene product is a precurs or to three biologically active peptides; vasostatin, panc reastatin, and parastatin. These peptides act as autocrin e or paracrine negative modulators of the neuroendocri ne system. Two other peptides, catestatin and chromofu ngin, have antimicrobial activity and antifungal activity, respectively. Two transcript variants encoding different i soforms have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	CHGA
Immunogen:	Synthetic peptide of humanCHGA



全国订货电话 4008-723-722

Full name:	chromogranin A (parathyroid secretory protein 1)
Synonyms:	CGA
SwissProt:	P10645
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human thyroid cancer and Human esophagus cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	51 kDa
WB Positive control:	A549 cells
WB Recommended dilution:	200-1000



全国 —reagent.com kDa 1 2 5 95 —

全国订货电话 4008-723-722

