



兔抗 COPE 多克隆抗体

中文名称: 兔抗 COPE 多克隆抗体

英文名称: Anti-COPE rabbit polyclonal antibody

别 名: coatomer protein complex subunit epsilon epsilon-COP

相关类别: 一抗

储 存: 冷冻(-20℃)

抗 原: COPE

宿 主: Rabbit

反应种属: Human, Mouse

标 记 物: Unconjugate


克隆类型: rabbit polyclonal

技术规格

| Background: | The product of this gene is an epsilon subunit of coato mer protein complex. Coatomer is a cytosolic protein complex that binds to dilysine motifs and reversibly associates with Golgi non-clathrin-coated vesicles. It is require d for budding from Golgi membranes, and is essential for the retrograde Golgi-to-ER transport of dilysine-tagge d proteins. Coatomer complex consists of at least the alpha, beta, beta', gamma, delta, epsilon and zeta subunit s. Alternatively spliced transcript variants encoding different isoforms have been identified. |
|-------------------|---|
| Applications: | ELISA, WB |
| Name of antibody: | COPE |
| Immunogen: | Fusion protein of human COPE |



| Full name: | coatomer protein complex subunit epsilon |
|------------------------------------|--|
| Synonyms: | epsilon-COP |
| SwissProt: | O14579 |
| ELISA Recommended dilution: | 5000-10000 |
| WB Predicted band size: | 34 kDa |
| WB Positive control: | PC-3 , A375 and Hela cell lysates |
| WB Recommended dilution: | 200-1000 |



TW_reagent.com

