

## 兔抗 CES2 多克隆抗体

中文名称:	兔抗 CES2 多克隆抗体
英文名称:	Anti-CES2 rabbit polyclonal antibody
别名:	carboxylesterase 2; iCE; CE-2; PCE-2; CES2A1
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	CES2
反应种属:	Human
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes a member of the carboxylesterase large family. The family members are responsible for the hydrolysis or transesterification of various xenobiotics, such as cocaine and heroin, and endogenous substrates with ester, thioester, or amide bonds. They may participate in fatty acyl and cholesterol ester metabolism, and may play a role in the blood-brain barrier system. The protein encoded by this gene is the major intestinal enzyme and functions in intestine drug clearance. Alternatively spliced transcript variants have been found for this gene.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	CES2
<b>Immunogen:</b>	Synthetic peptide of human CES2
<b>Full name:</b>	carboxylesterase 2

<b>Synonyms:</b>	iCE; CE-2; PCE-2; CES2A1
<b>SwissProt:</b>	O00748
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human liver cancer and human prostate cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	62 kDa
<b>WB Positive control:</b>	Human fetal liver tissue lysate
<b>WB Recommended dilution:</b>	200-1000



